



G*GRASS®

INTEGRA TOP DRAWER SYSTEM

The single-wall drawer system
with metal drawer sides.





INTEGRA TOP SINGLE-WALL DRAWER SYSTEM

Solutions for flexible production.

The Integra system ensures track-proven quality and maximum benefits.

The single-wall drawer system offers furniture makers quality and functionality for kitchens and bathrooms. Everything is possible: standard drawers, pull-out shelves and inset drawers, full extension drawers with railing, oven base drawers and many other combination options. This means that Integra offers end customers also a high degree of practical functionality.











INTEGRA TOP







The single-wall drawer system
with metal drawer sides.

Product designation	Page
Integra Top drawer H53	6
Integra Top drawer H85	8
Integra Top inset drawer H85	10
Integra Top drawer H117	12
Integra Top drawer H149	14
Integra Top inset drawer H149	16
Integra Top pot drawer H85 with round railing for screw fixing	18
Integra Top pot drawer H117 with round railing for screw fixing	20
Integra Top pot drawer H149 with round railing for screw fixing	22
Integra Top suspension register drawer with oval railing	24
Integra Top divider railing	26
Integra Top bottle holder	26
Integra Top drawer divider	27
Accessories	28
Technical information	30
Assembly aids	32

INTEGRA TOP


The single-wall drawer system
with metal drawer sides.

	Product description		Page
	Integra Top drawer H53 • Drawer side height 53 mm • Single extension drawer slide • Installation width 15.5 mm • Bottom panel for screw fixing		6
	Integra Top drawer H85 • Drawer side height 85 mm • Single extension drawer slide • Installation width 15.5 mm • Bottom panel for screw fixing		8
	Integra Top inset drawer H85 • Drawer side height 85 mm • Single extension drawer slide • Installation width 15.5 mm • Bottom panel for screw fixing		10
	Integra Top drawer H117 • Drawer side height 117 mm • Single extension drawer slide • Installation width 15.5 mm • Bottom panel for screw fixing		12
	Integra Top drawer H149 • Drawer side height 149 mm • Single extension drawer slide • Installation width 15.5 mm • Bottom panel for screw fixing		14
	Integra Top inset drawer H149 • Drawer side height 149 mm • Single extension drawer slide • Installation width 15.5 mm • Bottom panel for screw fixing		16
	Integra Top pot drawer H85 with round railing for screw fixing • Drawer side height 85 mm • Round railing for screw fixing • Tilt angle adjustment of front panel		18
	Integra Top pot drawer H117 with round railing for screw fixing • Drawer side height 117 mm • Round railing for screw fixing • Tilt angle adjustment of front panel		20
	Integra Top pot drawer H149 with round railing for screw fixing • Drawer side height 149 mm • Round railing for screw fixing • Tilt angle adjustment of front panel		22


	Product description		Page
	Integra Top suspension register drawer with oval railing • Drawer side height 85 mm • Oval railing for screw fixing • Tilt angle adjustment of front panel		24
	Integra Top divider railing • For pot drawers with round railing • Installation without tools		26
	Integra Top bottle holder • For pot drawers with round railing and divider railing • Installation without tools		26
	Integra Top drawer divider • For drawers • Installation without tools		27

INTEGRA TOP

Drawer H53




- Load capacity 30 kg
- 2-D front panel adjustment for easy alignment
- Bottom corner clearance: drawer rail is flush with the bottom corner, no chamfering required
- Easy upgrade to full extension drawer slide
- Parallel closing action, reliable closing, minimal gap width
- Double stop: secure stop in open state is possible



ORDER INFORMATION

1 Integra drawer sides H53, left/right		
		
NL	White	
400	F084074923	
450	F084074926	
500	F084074917	
550	F084074928	

2 Front holder		
		
Fixing method	Left	Right
For screw fixing	F084115209	F084115210
For press fitting	F084077578	F084077579



Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres

Installation dimensions

min. 19

15.5⁺¹_{-0.5}

10

10

33

16

35

8

BB = LWK - 31

LWK

BL = Integra NL - 5

Ø 3.5 x 15

Ø 10 x 12.5

15.5

9

32

7

FST

8.5

FAS

Cutting dimensions

35

LWK - 31

VAR

NL - 5

LWK - 31

RW

BL

B

NL	AZV 1	AZV 2
400	101	85
450	101	85
500	101	85
550	101	85

Loss of drawer space (AZV) 1: is the amount of space lost in the not locked position.

Loss of drawer space (AZV) 2: is the amount of space lost in the locked position.

Fixing positions for cabinet rails
KV Ø 6.3 Ø 3.5 32 37 9 12 14 2 35 37 96 64 96 128 128 96 128 37 2 400 450 500 550



Special Euro screw Ø 6.3 x 14 mm

Chipboard screw Ø 3.5 x 15 mm

Screw head Ø 7 mm

LEGEND


AZV	Drawer space loss	FAS	Front overlay, side	NL	Nominal length
B	Bottom panel	FST	Front overlay	RW	Back panel
BB	Bottom panel width	KV	Front edge of cabinet		
BL	Bottom panel length	LWK	Inside cabinet width		

INTEGRA TOP

Drawer H85




- Load capacity 30 kg
- 2-D front panel adjustment for easy alignment
- Bottom corner clearance: drawer rail is flush with the bottom corner, no chamfering required
- Parallel closing action, reliable closing, minimal gap width
- Double stop: secure stop in open state is possible
- Easy upgrade to full extension drawer slide



ORDER INFORMATION

1 Integra drawer sides H85, left/right		
NL	White	
275	F084074972	
350	F084074952	
400	F084074959	
450	F084074960	
500	F084074961	
550	F084074968	




2 Click-on front holder for tool-free mounting		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181



2 Slide-on front holder for screw fixing		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239



3 Cover caps		
	White	
	F084075011	



Drawer dividers	27
Technical information	30

Accessories	28
-------------	----

--	--

INSTALLATION INFORMATION

All dimensions in millimetres

Installation dimensions

min. 19

15.5⁺¹_{-0.5}

10

10

32

33

16

70

8.3

8

8.5

64

7

BB = LWK - 31

LWK

BL = Integra NL - 5

Ø 3.5 x 15

Ø 10 x 12.5

FST

FAS

Cutting dimensions

70

LWK - 31

VAR

NL - 5

LWK - 31

NL	AZV 1	AZV 2
275	88	72
350	88	72
400	101	85
450	101	85
500	101	85
550	101	85

Loss of drawer space (AZV) 1: is the amount of space lost in the not locked position.
Loss of drawer space (AZV) 2: is the amount of space lost in the locked position.

Fixing positions for cabinet rails	
KV 32 37 9 12 14 35 2 Ø 6.3 Ø 3.5 128 128 96 128 37 2 275 350 400 450 500 550	Special Euro screw Ø 6.3 x 14 mm Chipboard screw Ø 3.5 x 15 mm Screw head Ø 7 mm

LEGEND


AZV	Drawer space loss	FAS	Front overlay, side	NL	Nominal length
B	Bottom panel	FST	Front overlay	RW	Back panel
BB	Bottom panel width	KV	Front edge of cabinet		
BL	Bottom panel length	LWK	Inside cabinet width		

INTEGRA TOP


Inset drawer H85




- Load capacity 30 kg
- The front panel of the inset drawer is positioned between the drawer sides
- The cabinet rails are fixed in the same position as standard drawer slides
- The inset drawer front and back panels are of the same height
- Uniform hence efficient cutting



ORDER INFORMATION

1 Integra drawer sides H85, left/right			
NL	White		
275	F084074972		
350	F084074952		
400	F084074959		
450	F084074960		
500	F084074961		
550	F084074968		

2 Inset drawer clip set, left/right			
	White		
	F084074983		





Drawer dividers	27
Technical information	30

Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres



LEGEND

B Bottom panel
BB Bottom panel width
BL Bottom panel length
KV Front edge of cabinet


LWK Inside cabinet width
NL Nominal length
RW Back panel

INTEGRA TOP

Drawer H 117



- Load capacity 30 kg
- 2-D front panel adjustment for easy alignment
- Bottom corner clearance: drawer rail is flush with the bottom corner, no chamfering required
- Easy upgrade to full extension drawer slide
- Parallel closing action, reliable closing, minimal gap width
- Double stop: secure stop in open state is possible




ORDER INFORMATION

1 Integra drawer sides H 117, left/right		
		
NL	White	
350	F084075131	
400	F084075133	
450	F084075135	
500	F084075136	
550	F084075137	

2 Slide-on front holder for screw fixing		
		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239

2 Click-on front holder for tool-free mounting		
		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181

3 Cover caps		
		
	White	
	F084075011	



Drawer dividers	27
Technical information	30

Accessories	28
-------------	----

--	--

INSTALLATION INFORMATION

All dimensions in millimetres

Installation dimensions

Technical drawing showing installation dimensions for the Integra Top drawer system. The drawing includes side and front views with the following dimensions:

- Side view dimensions: min. 19, 15.5⁺¹_{-0.5}, 10, 10, 32, 32, 33, 16, 8, 8.5, 15.5, 9, 64, 39, FST, FAS.
- Front view dimensions: min. 116, 99, 32, 32, 33, 16, 8, 8.5, 15.5, 9, 64, 39, FST, FAS.
- Panel width: BB = LWK - 31
- Panel length: BL = Integra NL - 5
- Screws: Ø 3.5 x 15, Ø 10 x 12.5

Cutting dimensions

Technical drawing showing cutting dimensions for the Integra Top drawer system. The drawing includes side and front views with the following dimensions:

- Side view dimensions: 99, 15.5, 9, 64, 39, FST, FAS.
- Front view dimensions: 99, 15.5, 9, 64, 39, FST, FAS.
- Panel width: LWK - 31
- Panel length: NL - 5
- Screws: Ø 3.5 x 15, Ø 10 x 12.5

NL	AZV 1	AZV 2
350	105	89
400	118	102
450	118	102
500	118	102
550	118	102

Loss of drawer space (AZV) 1: is the amount of space lost in the not locked position.
Loss of drawer space (AZV) 2: is the amount of space lost in the locked position.

Fixing positions for cabinet rails
BB = LWK - 31 BL = Integra NL - 5

LEGEND


AZV	Drawer space loss	FAS	Front overlay, side	NL	Nominal length
B	Bottom panel	FST	Front overlay	RW	Back panel
BB	Bottom panel width	KV	Front edge of cabinet		
BL	Bottom panel length	LWK	Inside cabinet width		

INTEGRA TOP

Drawer H149



- Load capacity 30 kg
- 2-D front panel adjustment for easy alignment
- Bottom corner clearance: drawer rail is flush with the bottom corner, no chamfering required
- Easy upgrade to full extension drawer slide
- Parallel closing action, reliable closing, minimal gap width
- Double stop: secure stop in open state is possible




ORDER INFORMATION

1 Integra drawer sides H 149, left/right		
NL	White	
350	F084075163	
400	F084075165	
450	F084075168	
500	F084075170	
550	F084075173	

2 Slide-on front holder for screw fixing		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239

2 Click-on front holder for tool-free mounting		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181



3 Cover caps		
	White	
	F084075011	



Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres



LEGEND


AZV	Drawer space loss	FAS	Front overlay, side	NL	Nominal length
B	Bottom panel	FST	Front overlay	RW	Back panel
BB	Bottom panel width	KV	Front edge of cabinet		
BL	Bottom panel length	LWK	Inside cabinet width		

INTEGRA TOP


Inset drawer H149




- Load capacity 30 kg
- The front panel of the inset drawer is positioned between the drawer sides
- The cabinet rails are fixed in the same position as standard drawer slides
- The inset drawer front and back panels are of the same height
- Uniform hence efficient cutting



ORDER INFORMATION

1 Integra drawer sides H 149, left/right		
		
NL	White	
350	F084075163	
400	F084075165	
450	F084075168	
500	F084075170	
550	F084075173	



2 Inset drawer clip set, left/right		
		
	White	
	F084075185	



Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres




LEGEND

B Bottom panel
BB Bottom panel width
BL Bottom panel length
KV Front edge of cabinet


LWK Inside cabinet width
NL Nominal length
RW Back panel

INTEGRA TOP

Pot drawer H85 with round railing for screw fixing




- Load capacity 30 kg
- Adjustable front-to-back railing:
easy tilt angle adjustment of front panel
- Storage space is subdivided by adjustable
round railing divider



ORDER INFORMATION

1 Integra drawer sides H85, left/right		
NL	White	
450	F084074960	
500	F084074961	
550	F084074968	



2 Slide-on front holder for screw fixing		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239




4 Screw fixing railing set		
NL	White	
450	F084077419	
500	F084077420	
550	F084077421	



2 Click-on front holder for tool-free mounting		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181



3 Cover caps		
	White	
	F084075011	





Round railing divider	26
Bottle holder	26

Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres




LEGEND

B Bottom panel
BB Bottom panel width
FAS Front overlay, side
FST Front overlay


KV Front edge of cabinet
LWK Inside cabinet width
NL Nominal length
RW Back panel

INTEGRA TOP

Pot drawer H117 with round railing for screw fixing



- Load capacity 30 kg
- Adjustable front-to-back railing:
easy tilt angle adjustment of front panel
- Flexible subdivision of storage space with
adjustable round railing divider



ORDER INFORMATION

1 Integra drawer sides H117, left/right		
NL	White	
450	F084075135	
500	F084075136	
550	F084075137	



2 Slide-on front holder for screw fixing		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239




4 Screw fixing railing set		
NL	White	
450	F084077419	
500	F084077420	
550	F084077421	



2 Click-on front holder for tool-free mounting		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181



3 Cover caps		
	White	
	F084075011	





Round railing divider	26
Bottle holder	26

Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres




LEGEND

B Bottom panel
BB Bottom panel width
FAS Front overlay, side
FST Front overlay


KV Front edge of cabinet
LWK Inside cabinet width
NL Nominal length
RW Back panel

INTEGRA TOP

Pot drawer H149 with round railing for screw fixing



- Load capacity 30 kg
- Adjustable front-to-back railing:
easy tilt angle adjustment of front panel
- Flexible subdivision of storage space with
adjustable round railing divider



ORDER INFORMATION

1 Integra drawer sides H 149, left/right		
NL	White	
450	F084075168	
500	F084075170	
550	F084075173	



2 Click-on front holder for tool-free mounting		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181





2 Slide-on front holder for screw fixing		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239



3 Cover caps		
	White	
	F084075011	



4 Screw fixing railing set		
NL	White	
450	F084077419	
500	F084077420	
550	F084077421	





Round railing divider	26
Bottle holder	26

Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres




LEGEND


B	Bottom panel	KV	Front edge of cabinet
BB	Bottom panel width	LWK	Inside cabinet width
FAS	Front overlay, side	NL	Nominal length
FST	Front overlay	RW	Back panel

INTEGRA TOP


Suspension register drawer with oval railing



- Load capacity 30 kg
- Adjustable front-to-back railing:
easy tilt angle adjustment of front panel
- Flexible subdivision of storage space with
adjustable round railing divider
- To be used with 85, 117 and
149 high drawer sides




ORDER INFORMATION


1 Integra drawer sides H85, H117, H149, left/right			
			
H	NL	White	
85	500	F084074961	
	550	F084074968	
117	500	F084075136	
	550	F084075137	
149	500	F084075170	
	550	F084075173	

2 Click-on front holder for tool-free mounting		
		
Fixing method	Left	Right
For screw fixing	F084115240	F084115242
For press fitting	F084075178	F084075179
Expansion dowel	F084075180	F084075181

2 Slide-on front holder for screw fixing		
		
Fixing method	Left	Right
For screw fixing	F084115230	F084115232
For press fitting	F084115234	F084115235
Expansion dowel	F084115237	F084115239

3 Cover caps		
		
	White	
	F084075011	



4 Oval railing set for screw fixing		
		
NL	Aluminium anodised	
500	F084074850	
550	F084074851	



Technical information	30
Accessories	28

INSTALLATION INFORMATION

All dimensions in millimetres



LEGEND


B	Bottom panel	KV	Front edge of cabinet
BB	Bottom panel width	LWK	Inside cabinet width
FAS	Front overlay, side	NL	Nominal length
FST	Front overlay	RW	Back panel

INTEGRA TOP

Dividing systems





- Flexible organisation of the storage space for easier separation
- Fast installation without tools
- Can be retrofitted at any time
- Tool-free adjustment for variable use of storage space
- For use with cabinet width max. 900 mm




ORDER INFORMATION – DIVIDER RAILING

1 Round railing divider profile for cutting to length		
		
L	White	
1150	F084076899	

2 Railing divider clip		
		
	White	
	F102071824	



- Bottle holder
- For use with round railing system
- For bottle storage in pot drawers



ORDER INFORMATION FOR BOTTLE HOLDER


Bottle holder		
		
	White	
	F084076496	

Integra Top pot drawer H85	18
Integra Top pot drawer H117	20

Integra Top pot drawer H149	22




- DRAWER DIVIDERS
- Organising the storage space by dividing the drawer
- Aluminium profiles for cutting to length
- For use with cabinet widths up to 1200 mm



ORDER INFORMATION FOR DRAWER DIVIDERS

1 Drawer divider aluminium profile for cutting to length		
L	White	
1150	F102071822	

2 Clamping unit (suitable for left and right)		
	White	
	F102071821	



LEGEND


L	Length
LWK	Inside cabinet width

Integra Top drawer H85	8
Integra Top inset drawer H85	10


INTEGRA TOP

Accessories


SPACER, SYMMETRICAL

Application with symmetrical spacer		Item No.
For holding space behind doors on both sides for inset drawers and pull-out shelves. 		F084074894

SPACER, ASYMMETRICAL

Application with asymmetrical spacer		Item No.
For holding space behind doors on one side for inset drawers and pull-out shelves. 		F084074895

SLIDE-IN STOP

Slide-in stop for Integra single extension drawers, for 1.5 mm front gap		Item No.
- Slide-in stop for holding drawer open - For fitting at Integra back panel, left/right 		F084074896


Integra Top drawer H85	8
Integra Top drawer H117	12

Integra Top drawer H149	14
Integra Top pot drawer H85	18



Integra Top pot drawer H117	20
Integra Top pot drawer H149	22

SOFT-CLOSE FOR ROLLER SYSTEMS

	Designation	Item No.
- Can be retrofitted, easy to install - On one side drawer weight of up to 25 kg and up to an external cabinet width of 600 - On both sides up to a drawer weight of 50 kg - Can be used for Integra 	Damping unit can be retrofitted	F084101800
	Activator for single-wall drawer side	F084101801
	Damping set for Integra (Damping unit and activator)	F084101803




DOWELS

Dowels		Item No.
Ø 8 x 12 mm		F071004885
Ø 10 x 12 mm		F071005853


SPECIAL EURO SCREWS

Special Euro screws		Item No.
- Head diameter Ø 7 mm - Steel, nickel-plated, for screw fixing in Ø 5 mm pre-drilled holes (cross-head Pozidriv No. 2)	L = 8.5	F145089355
	L = 13.5	F145088185



CHIPBOARD SCREWS

Chipboard screws		Item No.
Head diameter Ø 7 mm	L = 11	F145010742
	L = 15	F145087110
	L = 17	F145087111



LEGEND

BB	Bottom panel width
L	Length
LWK	Inside cabinet width



INTEGRA TOP

Technical information

INSTALLATION INFORMATION

32 mm grid

Height of drawer sides in 32 mm increments, making cabinet design easy.



INSTALLATION ADVICE

Installation advice	Front holder with press-fit dowel	Front holder with expansion dowel
When using front holders with press-fit dowels, the holes should be drilled with a countersink bit. With hard surface coatings such as melamine, the sharp edges of the holes can damage the dowels during press fitting. This can lead to significantly reduced pull-out force. Alternatively it is possible to use front holders with expansion dowels, which do not require countersinking and still guarantee optimum pull-out force.		

MINIMUM REVEAL

Small minimum reveal		Minimum reveal in mm
Due to the effective drawing-in ratios in the parallel closing action, minimum reveals are possible Minimum reveal for 19 mm front panel = 0.5 mm		

LIFT-OUT SPACE

Lift-out space		
Small lift-out space due to insertion and removal "Rollers above the axis"		

MOUNTING/DISMOUNTING

Fitting the front with Integra Click-on		
• Insert front • Front will automatically engage		
Removing the front with Integra Click-on		
• Release the front by turning in the direction of the arrow • Remove front		
Fitting the front with Integra Slide-on		
• Insert front • Fix front with fixing screw		
Removing the front with Integra Slide-on		
• Release fixing screw • Remove front		

ADJUSTMENTS

Eccentric height adjustment		
Integra Click-on and Slide-on are supplied with factory setting at zero height position. This means that the drawer can be adjusted upwards and downwards. Should adjustment be necessary after assembly: • Release fixing screw • Operate the adjustment cam • Re-tighten fixing screw	Integra Click-on	Integra Slide-on

INTEGRA TOP

Assembly aids


INTEGRAFIT DRILLING JIG



For pre-drilling or marking the fixing positions for Integra front holder.

Consisting of:

- Jig body
- Centre punch Ø 5 mm
- Centre punch Ø 10 mm



	Item No.
	F146083253

DRILLING JIG FOR CABINET MEMBER



For pre-drilling the cabinet member position.

Suitable for:

- Integra Top
- Single roller slide
- Full extension roller slide
- For use with pilot drill bit F146035692

	Item No.
	F146083248

MARKING JIG SET



For front holder H53.

One set includes:

- Marking jig - left
- Marking jig - right
- Marker points (4x)

	Item No.
9005	F146083269

MARKING JIG SET



For front holders H85, H117, H149

One set includes:

- Marking jig - left
- Marking jig - right
- Marker points (4x)

	Item No.
9205/9305	F146083270

Integra Top roller system

3

SCREWDRIVER



GRASS cross head screwdriver
(Pozidriv No. 2)

	Item No.
	F147010256

PILOT DRILL BIT



The pilot drill bit is used for pre-drilling
holes for countersunk chipboard screws
Ø 3.5 mm.

	Item No.
Pilot drill bit	F146035692

Integra Top roller system	3

ITEM NO. INDEX

F article no. / Article no., old

F Article no.	Article no., old	PU	Page
---------------	------------------	----	------

F071

F071004885247	04885-21	1000	29
F071005853261	05853-32	10000	29

F084

F084074850511	3595.500.22	20	24
F084074851511	3595.550.22	20	24
F084074894123	3800.13.VE100	100	28
F084074895123	3802.13.VE100	100	28
F084074896123	3810.13.VE100	100	28
F084074917207	9003.500.2	10	6
F084074923207	9003.400.2	10	6
F084074926207	9003.450.2	10	6
F084074928207	9003.550.2	10	6
F084074952207	9103.350.2	10	8
F084074959207	9103.400.2	10	8
F084074960207	9103.450.2	10	8
F084074961207	9103.500.2	10	8
F084074968207	9103.550.2	10	8
F084074972207	9103.275.2	10	8
F084074983207	9108.2.VE10/100	100	10
F084075011111	9112.2.VE20/500	500	8
F084075131204	9203.350.2	5	12
F084075133204	9203.400.2	5	12
F084075135204	9203.450.2	5	12
F084075136204	9203.500.2	5	12
F084075137204	9203.550.2	5	12
F084075163204	9303.350.2	5	14
F084075165204	9303.400.2	5	14
F084075168204	9303.450.2	5	14
F084075170204	9303.500.2	5	14
F084075173204	9303.550.2	5	14
F084075178236	9306.L.VE250	250	8
F084075179236	9306.R.VE250	250	8
F084075180236	9307.L.VE250	250	8
F084075181236	9307.R.VE250	250	8
F084075185107	9308.2.VE10/100	100	16
F084076496111	76496-39	20	26
F084076899211	-	20	26
F084077419511	-	20	18
F084077420511	-	20	18
F084077421511	-	20	18
F084077578236	9006.L.VE250	250	6
F084077579236	9006.R.VE250	250	6
F084101800238	-	300	29
F084101801238	-	300	29
F084101803538	-	300	29
F084115209236	9005.L.VE250	250	6
F084115210236	9005.R.VE250	250	6
F084115230107	9205.L.VE10/250	250	8
F084115232107	9205.R.VE10/250	250	8
F084115234536	9206.L.VE250	250	8
F084115235536	9206.R.VE250	250	8
F084115237236	9207.L.VE250	250	8
F084115239236	9207.R.VE250	250	8
F084115240107	9305.L.VE10/250	250	8
F084115242107	9305.R.VE10/250	250	8

F102

F102071821211	-	20	27
F102071822207	-	10	27
F102071824123	-	100	26

F145

F Article no.	Article no., old	PU	Page
---------------	------------------	----	------

F145010742261	-	10000	29
F145087110123	-	100	29
F145087111147	-	1000	29
F145088185123	-	100	29
F145089355123	-	100	29

F146

F146035692299	35692	1	33
F146040695101	40695	1	32
F146083248101	2110	1	32
F146083251101	3935	1	32
F146083253201	3960	1	32
F146083266101	3937.VE1	1	32
F146083269101	3985.VE1	1	32
F146083270101	3986.VE1	1	33

F147

F147010256299	10256-00	1	33
---------------	----------	---	----

ITEM NO. INDEX

Article no., old / F Article no.

Article no., old	F Article no.	PU	Page
------------------	---------------	----	------

04

04885-21	F071004885247	1000	29
----------	---------------	------	----

05

05853-32	F071005853261	10000	29
----------	---------------	-------	----

10

10256-00	F147010256299	1	33
----------	---------------	---	----

21

2110	F146083248101	1	32
------	---------------	---	----

35

35692	F146035692299	1	33
3595.500.22	F084074850511	20	24
3595.550.22	F084074851511	20	24

38

3800.13.VE100	F084074894123	100	28
3802.13.VE100	F084074895123	100	28
3810.13.VE100	F084074896123	100	28

39

3935	F146083251101	1	32
3937.VE1	F146083266101	1	32
3960	F146083253201	1	32
3985.VE1	F146083269101	1	32
3986.VE1	F146083270101	1	33

40

40695	F146040695101	1	32
-------	---------------	---	----

76

76496-39	F084076496111	20	26
----------	---------------	----	----

90

9003.400.2	F084074923207	10	6
9003.450.2	F084074926207	10	6
9003.500.2	F084074917207	10	6
9003.550.2	F084074928207	10	6
9005.L.VE250	F084115209236	250	6
9005.R.VE250	F084115210236	250	6
9006.L.VE250	F084077578236	250	6
9006.R.VE250	F084077579236	250	6

91

9103.275.2	F084074972207	10	8
9103.350.2	F084074952207	10	8
9103.400.2	F084074959207	10	8
9103.450.2	F084074960207	10	8
9103.500.2	F084074961207	10	8
9103.550.2	F084074968207	10	8
9108.2.VE10/100	F084074983207	100	10
9112.2.VE20/500	F084075011111	500	8

92

9203.350.2	F084075131204	5	12
9203.400.2	F084075133204	5	12
9203.450.2	F084075135204	5	12
9203.500.2	F084075136204	5	12
9203.550.2	F084075137204	5	12
9205.L.VE10/250	F084115230107	250	8
9205.R.VE10/250	F084115232107	250	8
9206.L.VE250	F084115234536	250	8

Article no., old	F Article no.	PU	Page
------------------	---------------	----	------

9206.R.VE250	F084115235536	250	8
9207.L.VE250	F084115237236	250	8
9207.R.VE250	F084115239236	250	8

93

9303.350.2	F084075163204	5	14
9303.400.2	F084075165204	5	14
9303.450.2	F084075168204	5	14
9303.500.2	F084075170204	5	14
9303.550.2	F084075173204	5	14
9305.L.VE10/250	F084115240107	250	8
9305.R.VE10/250	F084115242107	250	8
9306.L.VE250	F084075178236	250	8
9306.R.VE250	F084075179236	250	8
9307.L.VE250	F084075180236	250	8
9307.R.VE250	F084075181236	250	8
9308.2.VE10/100	F084075185107	100	16

LEGEND

PU code	Quantity (units, pair, set)
101	1
107	10
111	20
123	100
147	1000
201	1
204	5
207	10
211	20
236	250
238	300
247	1000
261	10000
299	1
511	20
536	250
538	300



GRASS GmbH
Movement Systems
Grass Platz 1
6973 Höchst, Austria
T +43 5578 701-0
F +43 5578 701-59
info@grass.eu



www.grass.eu

The image shows a business card or brochure for FFA (Fittings For Africa). It features a red silhouette of the African continent on the left, with a black and white graphic of a hand holding a wrench. The text 'FFA' is prominently displayed in a bold, black, sans-serif font, with 'FITTINGS FOR AFRICA' written in smaller letters below it. To the right, the name 'Hein' is written in a red script font, followed by the phone number '082 553 4502'. At the bottom, a black bar contains the text 'HANDLES - KNOBS - SINKS - MIXERS - HINGES' in white. Below this bar, the address '21 Zune Street, Magnavia, Polokwane' is listed on the left, and the phone number 'Tel: 015 004 0198' and email 'heloenterprises1@gmail.com' are on the right.

21 Zune Street
Magnavia
Polokwane

HANDLES - KNOBS - SINKS - MIXERS - HINGES

Tel: 015 004 0198
heloenterprises1@gmail.com

Status: 05/2019

The latest version of the catalogue
is available on our website.